

United States Patent and Trademark Office

A

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.usplo.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/758,065	01/15/2004	Joseph Francis Kitching	9149Q	5113
27752 THE PROCTE	7590 10/09/200 R & GAMBLE COMP	EXAMINER		
INTELLECTUAL PROPERTY DIVISION - WEST BLDG. WINTON HILL BUSINESS CENTER - BOX 412 6250 CENTER HILL AVENUE			BUTLER, MICHAEL E	
			ART UNIT	PAPER NUMBER
CINCINNATI,	ОН 45224		3653	,
			<u></u>	
			MAIL DATE	DELIVERY MODE
			10/09/2007	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

,		Application No.	Applicant(s))			
Office Action Summary		10/758,065	KITCHING E	T AL.			
		Examiner	Art Unit				
		Michael Butler	3653				
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply							
WHIC - Exter after - If NO - Failu Any	ORTENED STATUTORY PERIOD FOR REPLY CHEVER IS LONGER, FROM THE MAILING DATE is not soft time may be available under the provisions of 37 CFR 1.13 SIX (6) MONTHS from the mailing date of this communication. It period for reply is specified above, the maximum statutory period were to reply within the set or extended period for reply will, by statute, eply received by the Office later than three months after the mailing and patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS CON 36(a). In no event, howev will apply and will expire SI , cause the application to I	MMUNICATION. er, may a reply be timely filed X (6) MONTHS from the mailing date of secome ABANDONED (35 U.S.C. § 13	f this communication.			
Status							
2a) <u></u>	Responsive to communication(s) filed on <u>13 Set</u> This action is FINAL . 2b) This Since this application is in condition for allowar closed in accordance with the practice under E	action is non-final	nal matters, prosecution as t	to the merits is			
Dispositi	on of Claims						
5)□ 6)⊠ 7)□ 8)□ Applicati	Claim(s) 1-20 is/are pending in the application. 4a) Of the above claim(s) is/are withdraw Claim(s) is/are allowed. Claim(s) 1-20 is/are rejected. Claim(s) is/are objected to. Claim(s) are subject to restriction and/or on Papers The specification is objected to by the Examiner The drawing(s) filed on is/are: a) access Applicant may not request that any objection to the content of the con	wn from considerad r election requirem r. epted or b) obje	ent. cted to by the Examiner.	(a).			
11) 🗌	Replacement drawing sheet(s) including the correcting the oath or declaration is objected to by the Extended to be the Extended			· ·			
Priority u	nder 35 U.S.C. § 119						
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 							
2) D Notice 3) Inform	e of References Cited (PTO-892) e of Draftsperson's Patent Drawing Review (PTO-948) nation Disclosure Statement(s) (PTO/SB/08) 'No(s)/Mail Date	5) <u>P</u> N	terview Summary (PTO-413) aper No(s)/Mail Date btice of Informal Patent Application ther:	1			

Application/Control Number: 10/758;065

Art Unit: 3653

DETAILED ACTION

The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office Action, and apply to this and any subsequent Office Actions.

Priority

1. Applicant's claim of priority to application 60/442310 filed 1/24/03 is acknowledged.

Claim Rejections - 35 USC § 102

2. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless --

- (a) the invention was known or used by others in this country, or patented or described in a printed publication in this or a foreign country, before the invention thereof by the applicant for a patent.
- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States
- (e) the invention was described in a patent granted on an application for patent by another filed in the United States before the invention thereof by the applicant for patent, or on an international application by another who has fulfilled the requirements of paragraphs (1), (2), and (4) of section 371(c) of this title before the invention thereof by the applicant for patent.
- 3. Claims 1,5, 7, 8, 9, 12, 13,15,16 are rejected under 35 U.S.C. 102(b) as being anticipated by Huen 5240140 which discloses all the claimed elements including:
 - (Re: cl 1) A container for dispensing product in sheet form comprising: (i) said product in sheet form which will be dispensed; and (ii) a dispensing aperture for product in sheet form, said aperture having opposing lateral edges, at least one of said lateral edges comprising a rotatable roller, said lateral edges providing a nip passage for controllably dispensing said product in sheet form in a non-downwards direction (c2 L 25-37) (Re: cl 5) wherein said lateral edges comprise material selected from the group consisting of plastic, metal, composite materials and combinations thereof (rubber c2 L 25-37)

(Re: cl 7) A container for dispensing a product in sheet form, said container comprising: (a) walls, said walls defining an inner cavity of said container for storing said product in sheet form prior to dispensing; and (b) a dispensing aperture in one of said walls, said aperture leading from said inner cavity to the environment external to said container, said aperture having opposing lateral edges, at least one of said lateral edges comprising a rotatable roller, said lateral edges providing a nip passage for controllably dispensing said product in sheet form (c2 L 25-37)

Page 2

(Re: cl 8) wherein both of said lateral edges comprise rotatable rollers (18 fig 1; 25-37)

(Re: cl 9) 7 wherein said container is either rigid or semi-rigid (c2 L 16-26)

(Re: cl 12)(11) wherein said closure (c) is either a lid or a resealable label (12; c2 L 16-25)

(Re: cl 13) further comprising: (d) a motor connected to said rotatable roller; and (e) optionally, a sensor connected to said motor, which upon activation of said sensor, said sensor activates said motor sufficient to turn said rotatable roller to dispense a predetermined quantity of said product in sheet form (c2 L 25-34)

(Re: cl 15) A container for dispensing a product in sheet form, said article comprising: (A) walls, said walls defining an inner cavity of said container for storing said product in sheet form prior to dispensing and one of said walls is a deck panel which includes a sealing section; (B) a dispensing aperture in said sealing section, said aperture having opposing lateral edges, at least one of said lateral edges comprising a rotatable roller, said lateral edges providing a nip passage for controllably dispensing said product in sheet form; and (C) a lid hingedly in association with one of said walls, said lid being closably overlying said sealing section (c2 L 25-37)

(Re: cl 16) wherein said container body is rigid (c2 L 16-26).

4. Claim(s) 1-5, 8-9, 13-18 and 20 is/are rejected under 35 U.S.C. 102(b) as being anticipated by Gergek US20020033405A1 which discloses all the claimed elements including:

(Re: cl 1) A container for dispensing product in sheet form comprising: (i) said product in sheet form which will be dispensed; and (ii) a dispensing aperture for product in sheet form, said aperture having opposing lateral edges, at least one of said lateral edges comprising a rotatable roller, said lateral edges providing a nip passage for controllably dispensing said product in sheet form in a non-downwards direction (¶ 32) (Re: cl 2) wherein said product in sheet form is a continuous web of sheet material divided by a plurality of multiple lines of frangibility running at predetermined intervals substantially transversely to the major axis of the web and defining a plurality of individual wipes (¶ 35,36)

(Re: cl 4) wherein both of said lateral edges comprise rotatable rollers (¶ 32)

(Re: cl 5) wherein said lateral edges comprise material selected from the group consisting of plastic, metal, composite materials and combinations thereof (¶ 36,38 inherent with such a drive system)

(Re: cl 7) A container for dispensing a product in sheet form, said container comprising: (a) walls, said walls defining an inner cavity of said container for storing said product in sheet form prior to dispensing; and (b) a dispensing aperture in one of said walls, said aperture leading from said inner cavity to the environment external to said container, said aperture having opposing lateral edges, at least one of said lateral edges comprising a rotatable roller, said lateral edges providing a nip passage for controllably dispensing said product in sheet form (¶ 32)

(Re: cl 8) wherein both of said lateral edges comprise rotatable rollers (¶ 32)

(Re: cl 9) 7 wherein said container is either rigid or semi-rigid rigid (12/13 fig 1-inherent with such a shape)

(Re: cl 13) further comprising: (d) a motor connected to said rotatable roller; and (e) optionally, a sensor connected to said motor, which upon activation of said sensor, said sensor activates said motor sufficient to turn said rotatable roller to dispense a predetermined quantity of said product in sheet form (¶36-38)

(Re: cl 14)(13) wherein said sensor is selected form the group consisting of light sensors, motion sensors, sound sensors, proximity sensors, travel sensors, rotation sensors, translation sensors, and combinations thereof (¶34,36,38)

(Re: cl 15) A container for dispensing a product in sheet form, said article comprising: (A) walls, said walls defining an inner cavity of said container for storing said product in sheet form prior to dispensing and one of said walls is a deck panel which includes a sealing section; (B) a dispensing aperture in said sealing section, said aperture having opposing lateral edges, at least one of said lateral edges comprising a rotatable roller, said lateral edges providing a nip passage for controllably dispensing said product in sheet form; and (C) a lid hingedly in association with one of said walls, said lid being closably overlying said sealing section (¶ 32)

(Re: cl 16) wherein said container body is rigid (12/13 fig 1-inherent with such a shape) (Re: cl 17) wherein said product in sheet form is a plurality of discrete individual wipes which are interleaved (¶ 35,36)

(Re: cl 18) wherein both of said lateral edges comprises rotatable rollers (¶ 32) (Re: cl 20) further comprising: (D) a motor connected to at least one of said pair of nipped rollers; and (E) optionally, a sensor connected to said motor, which upon activation of said sensor, said sensor activates said motor sufficient to turn said rotatable roller to dispense a predetermined quantity of said product in sheet form ((¶ 36,38).

5. Claim(s) 1,3-4, 7-10, 15-18 is/are rejected under 35 U.S.C. 102(b) as being anticipated by

West 2440993 which discloses all the claimed elements including:

(Re: cl 1) A container for dispensing product in sheet form comprising: (i) said product in sheet form which will be dispensed; and (ii) a dispensing aperture for product in sheet form, said aperture having opposing lateral edges, at least one of said lateral edges comprising a rotatable roller, said lateral edges providing a nip passage for controllably dispensing said product in sheet form in a non-downwards direction (c2 L 34-c3 L 9) (Re: cl 3) wherein said product in sheet form is a plurality of discrete individual wipes which are interleaved (32 fig 4,8; c1 L 12-39;c4 L 1-11)

(Re: cl 4) wherein both of said lateral edges comprise rotatable rollers (15,16; c2 L 34-55)

(Re: cl 7) A container for dispensing a product in sheet form, said container comprising: (a) walls, said walls defining an inner cavity of said container for storing said product in sheet form prior to dispensing; and (b) a dispensing aperture in one of said walls, said aperture leading from said inner cavity to the environment external to said container, said aperture having opposing lateral edges, at least one of said lateral edges comprising a

rotatable roller, said lateral edges providing a nip passage for controllably dispensing said product in sheet form (c2 L 34-c3 L 9)

(Re: cl 8) wherein both of said lateral edges comprise rotatable rollers (15,16; c2 L 34-55)

(Re: cl 9) 7 wherein said container is either rigid or semi-rigid.

(Re: cl 10) wherein said product in sheet form is a plurality of discrete individual wipes which are interleaved (32 fig 4,8; c1 L 12-39;c4 L 1-11)

(Re: cl 12)(11) wherein said closure (c) is either a lid or a resealable label (11;c2 L 34-55)

-(Re: cl 15) A container for dispensing a product in sheet form, said article comprising: (A) walls, said walls defining an inner cavity of said container for storing said product in sheet form prior to dispensing and one of said walls is a deck panel which includes a sealing section; (B) a dispensing aperture in said sealing section, said aperture having opposing lateral edges, at least one of said lateral edges comprising a rotatable roller, said lateral edges providing a nip passage for controllably dispensing said product in sheet form; and (C) a lid hingedly in association with one of said walls, said lid being closably overlying said sealing section (c2 L 34-c3 L 9)

(Re: cl 16) wherein said container body is rigid (c1 L 12-30)

(Re: cl 17)wherein said product in sheet form is a plurality of discrete individual wipes which are interleaved (32 fig 4,8; cl L 12-39; c4 L 1-11)

(Re: cl 18) wherein both of said lateral edges comprises rotatable rollers (15,16; c2 L 34-55).

6. As best understood, claim(s) 1,3-5 and 7-10, 15-18 is/are rejected under 35 U.S.C. 102(b) as being anticipated by/or in the alternative, under 35 U.S.C. 103(a) as obvious over West 2440993 which discloses all the claimed elements as previously discussed and West discloses or suggests:

(Re: cl 5) wherein said lateral edges comprise material selected from the group consisting of plastic, metal, composite materials and combinations thereof – (inherent to build such a dispensing roller including at least one of the specified materials).

It would have been obvious at the time of the invention for West to make a roller comprising some componentry comprised of plastic metal or composite materials to provide sufficient stiffness while having sufficient rotational wear resistance to have a marketable longevity and come up with the claimed invention.

Application/Control Number: 10/758,065 Page 6

Art Unit: 3653

Claim Rejections - 35 USC § 103

7. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

- (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 8. Claim(s) 1, 5-6, 15-16 and 18-20 is/are rejected under 35 U.S.C. 103(a) as being unpatentable over Washington et al. 6976634 in view of Winkler 4877230 wherein the former discloses:

(Re: cl 1,15) A container for dispensing a product in sheet form, said article comprising: (A) walls, said walls defining an inner cavity of said container for storing said product in sheet form prior to dispensing and one of said walls is a deck panel which includes a sealing section (c31 L 55-65)

(B) a dispensing aperture in said sealing section, said aperture having opposing lateral edges, at least one of said lateral edges comprising a rotatable roller, said lateral edges providing a nip passage for controllably dispensing said product in sheet form; and (C) a lid (268) hingedly in association with one of said walls, said lid being closably overlying said sealing section (c31 L 55-65)

(Re: cl 16) wherein said container body is rigid (c29 L 51-61)

and the latter discloses any the elements not inherently taught by the former including:

(Re: cl 18) wherein both of said lateral edges comprises rotatable rollers (36) (Re: cl 19,5, 6) wherein said wherein said rotatable rollers comprise a metal core (34; c5 L 54-67; cl1 L 8-28) surrounded by a plastic coating (36) which contacts said product in sheet form (c5 L 54-c6 L 23)

(Re: cl 20) further comprising: (D) a motor connected to at least one of said pair of nipped rollers; and (E) optionally, a sensor connected to said motor, which upon activation of said sensor, said sensor activates said motor sufficient to turn said rotatable roller to dispense a predetermined quantity of said product in sheet form (c14 L 4-64).

It would have been obvious for Washington et al. to use nip rollers to get a more positive grip on the currency as taught by Winkler et al. and come up with the instant invention. It would have been obvious for Washington et al. to use plastic coated rollers with metal cores to get a predictable long term positive grip on the currency and lengthy wear of components as taught by Winkler et al. and come up with the instant invention.

Page 7

Response to Amendments/Arguments

9. The applicant's arguments have been fully considered but they are unpersuasive in overcoming the rejections. The invention is dispenser. Applicant's amendment is directed at narrowing the dispensate capable of being dispensed in the dispenser. Any infringing device infringes the claim scope independent of whether the dispenser has yet been filled.

There is nothing within the current specified references and combinations that would create any difficulty in dispensing a dispensate with the added feature of releasing a composition of matter from a substrate. Applicant needs distinguish the claims premised upon dispenser structure.

Conclusion

- 10. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.
- 11. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Exmr. Michael E. Butler whose telephone number is (571) 272-6937.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Patrick Mackey, can be reached on (571) 272-6916. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

MED 10/1/07

PATRICK MACKEY
PATRICK MACKEY
SUPERVISORY PATENT EXAMINER
SUPERVISORY PATENT 3600
TECHNOLOGY CENTER 3600